



Lesson 8: Sequencing Reflections and Translations


Student Outcomes

- Students learn that the reflection is its own inverse transformation.
- Students understand that a sequence of a reflection followed by a translation is not equal to a translation followed by a reflection.

Classwork

Discussion (10 minutes)

- Lesson 5 was an introduction to sequences of translations. It was clear that when a figure was translated along a vector we could “undo” the move by translating along the same vector, but in the opposite direction, creating an inverse transformation.
- Note that not all transformations can be “undone”. For that reason, we will investigate sequences of reflections.
- Let there be a reflection across line L . What would “undo” this action? What is the inverse of this transformation?
 - A reflection is always its own inverse.*
- Consider the picture below of a reflection across a vertical line L .



- Trace this picture of the line L and the points P , A , and Q as shown. Create a reflection across line L followed by another reflection across line L . Is the transformation corresponding to flipping the transparency once across L , and then flipping it once more across L ? Obviously, the red figure on the transparency would be right back on top of the original black figure. *Everything stays the same.*

Let us take this opportunity to reason through the preceding fact without a transparency.


- For a point P not on line L , what would the reflection of the reflection of point P be?
- The picture shows $Reflection(P) = P'$ is a point to the left of L , and if we reflect the point P' across L , clearly we get back to P itself. Thus the reflection of the reflection of point P is P itself. The same holds true for A : the reflection of the reflection of point A is A .
- For point Q on the line L , what would the reflection of the reflection of point Q be?
- The lesson on reflection showed us that a point on the line of reflection is equal to itself, i.e., $Reflection(Q) = Q$. Then the reflection of the reflection of point Q is Q . No matter how many times a point on the line of reflection is reflected, it will be equal to itself.
- Based on the last two statements we can say that the reflection of the reflection of P is P for any point P in the plane. Further,

$$\text{Reflection of } P \text{ followed by the reflection of } P = I \tag{4}$$

where I denotes the identity transformation (Lesson 1). In terms of transparencies, equation (4) says that if we flip the transparency (on which we have traced a given figure in red) across the line of reflection L , then flipping it once more across L brings the red figure to coincide completely with the original figure. In this light, equation (4) is hardly surprising!

Exercises 1–3 (3 minutes)

Students complete Exercises 1–3 independently.



- Figure A* was translated along vector \vec{BA} resulting in *Translation(Figure A)*. Describe a sequence of translations that would map *Figure A* back onto its original position.


Translate Figure A along vector \vec{AB} , then translate the image of Figure A along vector \vec{BA} .
- Figure A* was reflected across line L resulting in *Reflection(Figure A)*. Describe a sequence of reflections that would map *Figure A* back onto its original position.

Reflect Figure A across line L , then reflect Figure A across line L again.
- Can *Translation $_{\vec{BA}}$* undo the transformation of *Translation $_{\vec{BA}}$* ? Why or why not?

No. To undo the transformation you would need to move the image of Figure A after the translations back to Figure A. The listed translations do not do that.


Discussion (10 minutes)

- Does the order in which we sequence rigid motions really matter?
- Consider a reflection followed by a translation. Would a figure be in the same final location if the translation was done first then followed by the reflection?
- Let there be a reflection across line L and let T be the translation along vector \vec{AB} . Let E represent the ellipse. The following picture shows the reflection of E followed by the translation of E .
- Before showing the picture, ask students which transformation happens first: the reflection or the translation?
 - Reflection



Reflection, then translation of E

- Ask students again if they think the image of the ellipse will be in the same place if we translate first and then reflect. The following picture shows a translation of E followed by the reflection of E .



- It must be clear now that the order in which the rigid motions are performed matters. In the above example, we saw that the reflection followed by the translation of E is not the same as the translation followed by the reflection of E ; therefore a translation followed by a reflection and a reflection followed by a translation are not equal.

Video Presentation (2 minutes)


Show the video on the sequence of basic rigid motions located at <http://youtu.be/O2XPY3ZLU7Y>. Note that this video makes use of rotation which will not be defined until Lesson 9. The video, however, does convey clearly the general idea of sequencing.

Exercises 4–7 (10 minutes)

Students complete Exercises 4, 5, and 7 independently. Students complete Exercise 6 in pairs.

4. Let there be the translation along vector \overline{AB} and a reflection across line L .
Use a transparency to perform the following sequence: Translate figure S , then reflect figure S . Label the image S' .
Solution on the diagram below.

5. Let there be the translation along vector \overline{AB} and a reflection across line L .
Use a transparency to perform the following sequence: Reflect figure S , then translate figure S . Label the image S'' .
Solution on the diagram below.




6. Using your transparency, show that under a sequence of any two translations, *Translation* and *Translation*₀ (along different vectors), that the sequence of the *Translation* followed by the *Translation*₀ is equal to the sequence of the *Translation*₀ followed by the *Translation*. That is, draw a figure, *A*, and two vectors. Show that the translation along the first vector, followed by a translation along the second vector, places the figure in the same location as when you perform the translations in the reverse order. (This fact will be proven in high school). Label the transformed image *A'*. Now draw two new vectors and translate along them just as before. This time label the transformed image *A''*. Compare your work with a partner. Was the statement that “the sequence of the *Translation* followed by the *Translation*₀ is equal to the sequence of the *Translation*₀ followed by the *Translation*” true in all cases? Do you think it will always be true?

Sample Student Work:

First let *T* be the translation along vector \overrightarrow{AB} and let *T*₀ be the translation along vector \overrightarrow{CD} .

Then let *T* be the translation along vector \overrightarrow{EF} and let *T*₀ be the translation along vector \overrightarrow{GH} .



7. Does the same relationship you noticed in Exercise 6 hold true when you replace one of the translations with a reflection. That is, is the following statement true: A translation followed by a reflection is equal to a reflection followed by a translation?

No. The translation followed by a reflection would put a figure in a different location in the plane when compared to the same reflection followed by the same translation.

Closing (5 minutes)

Summarize, or have students summarize, the lesson.

- We know that we can sequence rigid motions.
- We have notation related to sequences of rigid motions.
- We know that a reflection is its own inverse.
- We know that the order in which we sequence rigid motions matters.

Exit Ticket (5 minutes)

Name _____

Date _____

Lesson 8: Sequencing Reflections and Translations


Exit Ticket

Draw a figure, A , a line of reflection, L , and a vector in the space below. Show that under a sequence of a translation and a reflection that the sequence of the reflection followed by the translation is not equal to the translation followed by the reflection. Label the figure as A' after finding the location according to the sequence reflection followed by the translation and label the figure A'' after finding the location according to the composition translation followed by the reflection. If A' is not equal to A'' , then we have shown that the sequence of the reflection followed by a translation is not equal to the sequence of the translation followed by the reflection. (This will be proven in high school).

Exit Ticket Sample Solutions


Draw a figure, A , a line of reflection, L , and a vector in the space below. Show that under a sequence of a translation and a reflection, that the sequence of the reflection followed by the translation is not equal to the translation followed by the reflection. Label the figure as A' after finding the location according to the sequence reflection followed by the translation and label the figure A'' after finding the location according to the composition translation followed by the reflection. If A' is not equal to A'' , then we have shown that the sequence of the reflection followed by a translation is not equal to the sequence of the translation followed by the reflection. (This will be proven in high school).

Sample student drawing:




Problem Set Sample Solutions

- Let there be a reflection across line L and let there be a translation along vector \overrightarrow{AB} as shown. If S denotes the black figure, compare the translation of S followed by the reflection of S with the reflection of S followed by the translation of S .




Students should notice that the two sequences place figure S in different locations in the plane.

2. Let L_1 and L_2 be parallel lines and let $Reflection_1$ and $Reflection_2$ be the reflections across L_1 and L_2 , respectively (in that order). Show that a $Reflection_2$ followed by $Reflection_1$ is not equal to a $Reflection_1$ followed by $Reflection_2$. (Hint: Take a point on L_1 and see what each of the sequences does to it.)
 Let D be a point on L_1 as shown and let $D' = Reflection_2$ followed by $Reflection_1$. Notice where the D' is.



Let $D'' = Reflection_1$ followed by $Reflection_2$. Notice where the D'' is.



Since $D' \neq D''$ the sequences are not equal.

3. Let L_1 and L_2 be parallel lines and let Λ_1 and Λ_2 be the reflections across L_1 and L_2 , respectively (in that order). Can you guess what Reflection_1 followed by Reflection_2 is? Give as persuasive an argument as you can. (Hint: Examine the work you just finished for the last problem.)

The sequence Reflection_1 followed by Reflection_2 is just like the translation along a vector \overrightarrow{AB} as shown below, where $AB \perp L_1$. The length of AB is equal to twice the distance between L_1 and L_2 .

